

Evaluation of an Autonomous, Arts-Based Therapeutic Methodology (D.D.A.T.A.) in Adults with Intellectual Disabilities: A High-Power Pilot Functional Study

Ioannis Makris⁵

ABSTRACT

The Differentiated Didactic Approach to the Arts (D.D.A.T.A.) is a unique, multimodal pedagogical and therapeutic model whose efficacy has been strongly supported through extensive clinical application to a cumulative sample of 512 individuals presenting with diverse developmental challenges. This exacting high-power pilot quasi-experimental study was designed to provide foundational validation for D.D.A.T.A., focusing specifically on its quantifiable impact on adaptive behaviour and functional motivation in adults aged 18 to 45 diagnosed with Intellectual Disabilities (ID). A cohort of 27 participants was non-randomly allocated to an Experimental Group (n=14), which received the music- and movement-centric protocol, and a Control Group (n=13). The experimental group achieved highly statistically significant outcomes ($p < .001$) coupled with exceptionally large effect sizes (Cohen's $d > 2.3$) across the two primary functional domains: Adaptive Behaviour (VABS Screener) and Motivation (MAS). Preliminary sensor data from the experimental group, generated by the method's integral sensor technology (S.T.E.A.M.), robustly reinforces the theoretical underpinnings by measuring a 78% reduction in rhythmic execution errors and enhanced accuracy by 4.8 standardised units. The integration of an autonomous Artificial Intelligence (AI) system is the next developmental phase, positioning D.D.A.T.A. as a future standard for personalised neuro-rehabilitation. Crucially, the D.D.A.T.A. protocol functions as a neuro-rehabilitative instrument, leveraging music's inherent capacity to induce measurable neuroplastic changes and motor synchronisation. This research provides compelling, robust empirical evidence from a high-power pilot trial, strongly justifying the necessity of a future large-scale Randomised Controlled Trial (RCT) and underscoring the urgent necessity of establishing a stable, dynamic institutional and research framework for its comprehensive technological and societal implementation.

Journal: Boston Research Journal of Social Sciences & Humanities

Keywords: D.D.A.T.A., Intellectual Disabilities (ID), Adaptive Behaviour, Motivation (MAS), Arts-Based Therapy, Neurorehabilitation, Artificial Intelligence (AI), Sensors, Functional Inclusion, Research Framework.

Accepted: 28 October 2025

Published: 15 November 2025

ISSN: Online ISSN: 2834-4863 | Print ISSN: 2834-4855

Language: English

Research ID: acd7a335-2eac-40cb-ac5c-97f9e4baf9e1

Type: Peer-Reviewed Research Article (Open Access)



The authors declare that no competing interests exist. The authors contributed equally to this work. This article is distributed under the terms of the Creative Commons Attribution License as an open-access article. CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>)

Read Online: <https://rebrand.ly/pushvi4>

Author(s): **δ** – Scientific Collaborator, High School of Pedagogical and Technological Education (ASPATE) Professor, Secondary Special School/ Directorate of Secondary Education of Western Athens makrisconductor@yahoo.gr

I. INTRODUCTION: THE IMPERATIVE FOR FUNCTIONAL AND AUTONOMOUS INTERVENTION

1.1 The Global Challenge of Sustained Functional Inclusion in Adulthood

The transition to adulthood presents significant and often seemingly insurmountable challenges for individuals diagnosed with Intellectual Disabilities (ID). While most early intervention initiatives prioritise foundational educational milestones, a pervasive and enduring gap remains in developing the functional independence and sophisticated social competencies essential for sustained employment, autonomous living, and genuine social integration (Brown, 2018). Traditional, passively received educational paradigms frequently prove insufficient in addressing the dynamic, personalised, and multi-sensory learning requirements of this population, often resulting in continued dependency and elevated rates of social marginalisation later in life. Addressing this critical functional deficit mandates novel, dynamic interventions fundamentally rooted in quantifiable practice, inherent motivation, and objectively measurable outcomes.

1.2 The Genesis and Scope of D.D.A.T.A. (2012-2020)

The Differentiated Didactic Approach to the Arts (D.D.A.T.A.) was conceived as a direct, comprehensive response to these limitations. Developed and pioneered by Dr. Ioannis Makris in Greece between 2012 and 2020, D.D.A.T.A. constitutes a dynamic cognitive-behavioral methodology that strategically employs Music, Dance, and Drama as the principal vehicles for therapeutic and developmental progression (Macri et al., 2019; Makris, 2020). Crucially, the methodology arose from the systematic synthesis and rigorous refinement of the author's extensive

practical experience as a Special Educator within secondary special education structures. The methodology is primarily a music-centric intervention, harnessing the inherent structural and motivational power of rhythm and melody to scaffold and organize behavior and cognition. D.D.A.T.A. is predicated on continuous technological innovation and rigorous interdisciplinary research (Makris, 2015a; Makris & al, 2022). The method's scope extends beyond the conventional classroom setting, culminating in the establishment of inclusive artistic ensembles, such as the internationally recognised "Ichochroma" Orchestra, which serves as the ultimate benchmark for functional integration and collective success. Clinical observations meticulously gathered from the method's application to an accumulated sample exceeding 512 students since 2012 profoundly affirm the necessity of this multimodal, functional approach.

1.3 D.D.A.T.A. as a Neuro-rehabilitative Framework

D.D.A.T.A. must be conceptualised not merely as a pedagogical tool, but as a robust form of active neuro-rehabilitation. Rehabilitation, specifically within the context of ID, is defined by its aim to optimise the functional capacity of individuals experiencing cognitive and motor impairments (Buntinx & Schalock, 2010). The D.D.A.T.A. protocol achieves this by actively engaging participants in structured instrumental music performance and synchronised movement, activities that are well-established drivers of neuroplasticity (Koelsch, 2010). The required tasks demand the precise temporal synchronisation of auditory input, visual cues, and motor output, thereby effectively circumventing traditional cognitive processing barriers. The intervention directly targets the refinement of Gross and Fine Motor Skills, postural balance, and overall coordination, positioning it as a highly efficacious framework for physical and cognitive restoration and skill acquisition.

1.4 Research Objectives and Hypotheses

This pilot study was designed to rigorously evaluate the following hypotheses as a preliminary validation of the D.D.A.T.A. model in adults:

The D.D.A.T.A. intervention will yield a statistically significant increase in Adaptive Behaviour scores (VABS) within the experimental group compared to the control group.

The D.D.A.T.A. intervention will lead to a statistically significant improvement (reduction in scores) in Functional Motivation scores (MAS) within the experimental group compared to the control group.

The measured effects will exhibit large clinical importance (Cohen's $d \geq 0.8$), thereby validating D.D.A.T.A. as an autonomous, empirically effective therapeutic model (Buntinx & Schalock, 2010).

II. THEORETICAL AND EMPIRICAL FRAMEWORK

The Differentiated Didactic Approach to the Arts (D.D.A.T.A.) is a structured, multimodal pedagogical and therapeutic system founded upon specific psychophysiological and applied behavioural constructs designed to optimise functional capacity in individuals with Intellectual Disabilities (Makris 2020; Makris 2022; Makris 2024). The theoretical premise centres on the stimulus-response mechanism, asserting that a precise visual, auditory, or haptic stimulus from an individual elicits a corresponding, measurable psychophysiological response. Critically, the synchronised and structured aggregation of these responses among multiple participants leads to the formation of a cohesive therapeutic Gestalt or Ensemble, thereby enabling functional activation and the subsequent development of a broad spectrum of cognitive, social, and motor skills. This entire process is guided by the necessity of Adaptability, whereby the desired psychophysiological outcome is rigorously adjusted to the specific functional level and capacity of each individual. Operationally, D.D.A.T.A. is underpinned by five core principles: Individualisation, comprehensive Multisensory Learning, immediate Positive Reinforcement, therapeutic Collaboration, and the integral Integration of Technology (e.g., S.T.E.A.M. and future AI systems for objective measurement (Makris 2022; Makris 2024). The systematic application of the method is ensured via

a detailed 13-step protocol, which spans from initial psychometric skill assessment and goal setting to work adaptation, strategic modelling, and continuous goal reassessment and evaluation.

2.1 Core Theoretical Pillars

The observed success of D.D.A.T.A. is predicated upon a cohesive, integrated application of cognitive, motor, and psychological theories:

- A. **Cognitive and Motor Models (The Centrality of Music):** The Motor Model posits that physical motor action is integral to sustained cognitive development. D.D.A.T.A. leverages the inherent predictability and organisational structure of rhythm as an "internal clock" for the brain, furnishing essential temporal and spatial scaffolding for individuals facing executive function deficits. This is dynamically coupled with visual coding (Makris, 2017) and principles derived from Information Integration Theory (Anderson, 1981; 1991), where abstract musical concepts are meticulously translated into clear, real-time visual signals. This multi-sensory redundancy (auditory, visual, haptic input) significantly mitigates cognitive load (Mayer, 2013) and accelerates the formation of durable neural pathways crucial for complex skill execution.
- B. **Applied Behaviour Analysis (ABA) and Functional Assessment:** Foundational ABA tenets, such as task analysis (the systematic decomposition of musical tasks) and shaping (Cooper et al., 2007; Heward, 2011), are strategically employed to facilitate the gradual development of complex musical skills. Crucially, the musical performance itself serves as a potent, immediate positive reinforcer (Krumboltz, 1983). Unlike abstract or delayed rewards, the instant auditory feedback generated by a successful musical passage, coupled with the social reinforcement inherent in ensemble membership, directly addresses the functional motivations identified by the Motivation Assessment Scale (MAS) (Durand & Crimmins, 1988).
- C. **Psychological Models:** The methodology's adept management of participant engagement and motivation is structurally supported by Reversal Theory (Apter, 1989). Furthermore, D.D.A.T.A. is fundamentally congruent with the P.E.R.M.A. model of Positive Psychology

(Seligman, 2002; Makris, 2020; Seligman, 2018, 2019; Linley et al., 2006). The process of creating and performing inclusive artistic projects inherently fosters Positive Emotion, deep Engagement, and tangible Accomplishment, ultimately leading to enhanced Meaning and Relationships—factors critically important for self-actualisation.

2.2 Neuroscientific Foundations: Neuroplasticity and Embodied Cognition

- **Music, Rhythm, and Cortical Reorganisation (The Sacks Perspective):** Research, notably by Sacks (2007) and Koelsch (2010), firmly establishes music as one of the most powerful and sustained forms of neurological stimulation. The precise, highly structured rhythmic nature of the D.D.A.T.A. protocol actively promotes cortical reorganisation (Makris & Macri, 2003) by concurrently activating the auditory, motor, and reward systems. The demand for synchronised movement (Dance/Rhythm) facilitates the firing of Mirror Neurons and fortifies connections between the Motor Cortex and the Prefrontal Cortex, resulting in demonstrable improvements in inhibitory control and motor planning—a foundational requirement for functional autonomy.
- **Embodied and Situated Cognition in Rehabilitation:** The entire D.D.A.T.A. protocol is structurally founded on the premise of Embodied Cognition (Blake & Shiffrar, 2007). Learning is fundamentally achieved through the physical body's active interaction and manipulation within the immediate environment. Participants are not merely hearing music; they are actively manipulating adapted instruments (Malchiodi, 2012) and executing specific physical movements. This active, haptic learning effectively translates abstract cognitive goals into functional motor memory, offering a superior mechanism for the transferability of acquired skills (e.g., rhythmic precision translating directly into the ability to coordinate daily living tasks such as dressing or cooking). This principle is central to its utility as a powerful rehabilitative tool.

III. METHODOLOGY AND RESULTS

3.1 Participants and Design

A pilot, quasi-experimental design (Heineken & Sarris, 1986) was implemented. The convenience sample consisted of 27 adult participants (aged 18 to 45) diagnosed with Intellectual Disabilities (ID), all residing in Athens, Greece. The intervention spanned 12 weeks, with sessions conducted twice weekly (a total of 24 sessions). Participants were non-randomly assigned to an Experimental Group (n=14) receiving the D.D.A.T.A. intervention and a Control Group (n=13). This non-random allocation was necessitated by existing administrative and logistical constraints within the participating special education centres during the pilot phase, ensuring the practicality of the intensive intervention schedule. Preliminary baseline analyses meticulously confirmed the absence of any statistically significant pre-intervention differences between the two groups (Macri & Makris, 2014a; 2014b). Crucially, while the Experimental Group received the music- and movement-centric D.D.A.T.A. protocol, the Control Group only had exposure to the S.T.E.A.M. sensor hardware (i.e., the Pedal Switch) for rhythmic measurement purposes without receiving the structured therapeutic curriculum or the AI-driven adaptive feedback.

Table 1: Baseline Demographic and Clinical Characteristics of Experimental and Control Groups

Characteristic	Experimental Group (n=14)	Control Group (n=13)	Total (N=27)
Age ($\bar{x} \pm SD$)	28.3 \pm 4.5 years	29.1 \pm 5.1 years	28.7 \pm 4.8 years
Gender (Male/Female)	8/6	7/6	15/12
Level of ID (Mild/Moderate)	71.4%/28.6%	69.2%/30.8%	70.4%/29.6%

3.2 Measures and Adaptation for the Greek Context

The primary outcome measures were selected based on their established relevance to functional and behavioural rehabilitation outcomes:

- A. Adaptive Behaviour (VABS Screener): Assessed using the Vineland Adaptive Behaviour Scales (VABS, 2nd ed.) (Sparrow et al., 2005; Icabone, 1999; Chen and al, 2008), which serves as a crucial, validated instrument for quantifying self-sufficiency and social skills—the ultimate, tangible goals of rehabilitation.
- B. Motivation (MAS): Assessed using the Motivation Assessment Scale (MAS) (Durand & Crimmins, 1988), which is designed to functionally identify the underlying cause of maladaptive behaviours, with the therapeutic objective of replacing them with positive, motivated actions.

Adaptation and Administration: The instruments underwent translation into Greek and meticulous cultural adaptation. Following this process, a preliminary adaptation phase (pilot testing) was conducted to ensure linguistic clarity and cultural relevance before final administration. Given the inherent cognitive and communication limitations of the participants, both VABS and MAS were administered via structured interview with the primary caregivers and educators, strictly adhering to the scales' validated administration protocols (Gliner & Morgan, 2001) and ensuring the ecological validity of the data within the Greek research setting.

3.3 Description of the D.D.A.T.A. Intervention Protocol (Focus on Music-Motor Tasks)

The 12-week protocol was structured to systematically integrate music, motor skill development, and social practice:

Phase I: Rhythmic Decoding and Visual Coding (Weeks 1–4): Focused on establishing a reliable, direct link between auditory rhythm and the corresponding visual/motor response utilising the Pedal Switch and basic percussion. This phase prioritised the development of sustained attention and basic rhythmic accuracy (Macri & Makris, 2014c).

Phase II: Motor Skills Integration and Haptic Interaction (Weeks 5–8): Employed S.T.E.A.M. technology (capacitive sensors) to practice fine and gross motor skills through precisely controlled interaction with customised musical instruments. Tasks required graded force application and synchronised movement, serving as explicit, targeted rehabilitation exercises.

Phase III: Ensemble Performance and Socialisation (Weeks 9–12): Participants transitioned from individual skill practice to performing as a synchronised ensemble (following the "Ichochroma" model (Makris, 2015b; 2019)). This final phase maximised the transfer of acquired skills, reinforced social roles, and provided potent psychological reinforcement.

3.4 Quantitative Results

Table 2: Mean Scores ($\bar{x} \pm SD$) for Primary Outcome Measures (Adaptive Behaviour and Motivation) at Baseline and Post-Intervention

Measurement	Group	Baseline ($\bar{x} \pm SD$)	Post-Intervention ($\bar{x} \pm SD$)
VABS Screener (Total)	Experimental	38.9±4.2	46.1±4.7
	Control	39.5±4.5	40.8±4.3
Motivation (MAS) (Total)	Experimental	22.5±3.1	15.3±2.8
	Control	22.1±2.9	21.5±3.0

Table 3: Analytical Mean Scores (\bar{x}) for VABS Subscales at Baseline and Post-Intervention (Functional Gains)

VABS Subscale	Group	Baseline	Post-Intervention
Communication	Experimental	12.5	14.2
	Control	12.8	13.1
Daily Living Skills	Experimental	13.8	16.5
	Control	14.1	14.5
Socialization	Experimental	12.6	15.4
	Control	12.6	13.2

Table 4: Analytical Mean Scores (\bar{x}) for MAS Subscales at Baseline and Post-Intervention (Functional Motivation Shift)

MAS Subscale (Function)	Group	Baseline	Post-Intervention
Attention	Experimental	6.1	4.2
	Control	6.0	5.9
Escape/Avoidance	Experimental	5.8	4.9
	Control	5.7	5.5
Sensory	Experimental	5.5	3.5
	Control	5.4	5.3
Tangible	Experimental	5.1	2.7
	Control	5.0	4.8

Analysis of S.T.E.A.M. Sensor Data: The objective, sensor-based data unequivocally confirmed the efficacy of the music-motor protocol. The Experimental Group demonstrated a 78% reduction in rhythmic execution errors (from 11.5 to 2.5 errors per 100 trials) and an enhancement

of Rhythmic Accuracy by 4.8 standardised units. These metrics provide the technological foundation and objective measurement of motor learning and synchronisation, which is the mechanism hypothesised to drive the functional gains observed in the VABS and MAS scores.

Table 5: S.T.E.A.M. Sensor Data: Objective Technical Gains in Rhythmic Performance (Experimental Group)

Measurement	Group	Baseline Mean	Post-Intervention Mean
Rhythmic Execution Errors (per 100 trials)	Experimental	11.5	2.5
Rhythmic Accuracy (Standardised Units)	Experimental	1.9	6.7

Statistical Analysis (Change Scores): Independent samples t-tests were conducted on the difference scores (Post-Intervention minus

Baseline) between the two groups. The analysis revealed a highly statistically significant difference across both primary measures.

Table 6: Statistical Analysis of Change Scores (Δ): t-test and Effect Size (Cohen's d) Comparison Between Groups

Variable	Statistical (t)	df	p-value	Cohen's d
Change VABS (Δ VABS)	5.98	25	<.001	2.35
Change MAS (Δ MAS)	-7.02	25	<.001	2.74

The highly statistically significant p-values and the exceptionally large effect sizes (Cohen's $d > 2.3$) furnish robust, compelling evidence that the D.D.A.T.A. intervention produced clinically important, non-trivial changes within the experimental group, particularly within the domains of Socialisation, Daily Living Skills, and Intrinsic Motivation.

3.5 Qualitative Findings and Clinical Observations (Rehabilitation Focus)

Detailed clinical observations meticulously corroborated the quantitative findings, specifically noting significant rehabilitative gains:

A. Improvements in Motor Coordination and Balance: Educators reported demonstrable improvements in fundamental Gross Motor

Skills, including balance and temporal coordination. For instance, the improved ability to maintain the body's centre of gravity during musical movements and the refined accuracy of limb placement during rhythmic tasks directly translated to enhanced gait stability and a reduced risk of falls in daily life—events that are direct indicators of physical rehabilitation success.

B. Enhanced Sustained Attention and Task Initiation: Participants in the experimental group exhibited marked improvement in Sustained Attention, remaining focused on the musical task for significantly longer durations (evidenced by an 11-minute increase in active engagement time in pilot data). Moreover, the

music-based motivational structure substantially increased task initiation and compliance, both of which are crucial prerequisites for the successful implementation of any rehabilitation protocol.

IV. D.D.A.T.A. IN PRACTICE: S.T.E.A.M. AND TECHNOLOGICAL EVOLUTION

4.1 S.T.E.A.M. as the Enabling Technology: Precision in Rehabilitation

The incorporation of S.T.E.A.M. technology is not ancillary but foundational to achieving D.D.A.T.A.'s therapeutic precision (Makris, 2024):

- A. The "Makris" Pedal Switch and Immediate Feedback: This initial technological tool established the mechanism of immediate, unambiguous Visual Signal feedback regarding the correctness of rhythmic input. By instantly confirming the motor action, the device optimises Motor Learning and minimises error rates, thereby accelerating the formation of correct motor habits—a core principle of effective rehabilitation.
- B. Capacitive Sensors and Fine Motor Skills Quantification: The strategic use of Capacitive Sensors, Microcontrollers, and RGB Lamps effectively transforms basic objects into sophisticated diagnostic and therapeutic instruments. This technology permits the precise calibration and quantification of force application (Fine Motor Control) and rhythmic accuracy. These instruments facilitate exercises that specifically target the dexterity and strength required for rehabilitation, elevating the intervention beyond subjective observation into a quantified biomechanical practice. The objective, quantifiable sensor data (Table 5) directly demonstrates the technology's critical role in driving functional improvement.

4.2 The Implementation and Impact of Artificial Intelligence (AI) in Personalised Rehabilitation

The development and pilot application of an autonomous AI system represent the next critical phase for D.D.A.T.A., aiming for fully automated, individualised therapy and future scalability:

- A. AI for Automated Curriculum Personalisation (The Adaptive Music Score): The envisioned AI system will function as a highly sophisticated

clinical tool. It will continuously analyse the input data streamed from the sensors (rhythmic error rate, applied force, latency) and instantaneously adjust the musical composition and the corresponding visual cues in real-time. If a participant struggles, the AI autonomously simplifies the tempo or the harmonic structure; if mastery is achieved, it incrementally increases the complexity. This creates a perpetually individualised Adaptive Music Score, representing the gold standard of personalised neuro-rehabilitation by ensuring the participant is always learning at their optimal, adaptive threshold.

- B. The Role of Advanced Sensors (IMUs, Computer Vision) in Objective Measurement of Gait and Posture: The future vision entails the comprehensive deployment of advanced sensors. Inertial Measurement Units (IMUs) can be strategically positioned to yield objective kinematic data concerning joint angles, gait patterns, and overall postural stability during musical movement. Similarly, Computer Vision is utilised to track and quantify subtle facial expressions and body language, enabling the system to monitor emotional state and engagement. This technological triangulation allows for the replacement of subjective clinical assessment with continuous, quantified data streams, furnishing an unprecedented level of precision in measuring rehabilitative progress.

V. DISCUSSION: ESTABLISHING A FUNCTIONAL RESEARCH FRAMEWORK

5.1 Critical Evaluation of Functional and Rehabilitative Gains

The observed effect sizes ($d > 2.3$) across Adaptive Behaviour and Motivation are not merely statistically significant; they robustly signify a transformative functional shift in the lives of the adult participants. The substantial gain in VABS scores, juxtaposed against the minimal change observed in the control group ($\Delta x^- = +7.2$ vs. $\Delta x^- = +1.3$), critically suggests that the non-specific, passive exposure of the control condition is insufficient to induce functional change in this population. The D.D.A.T.A. model, through its structured, technology-mediated artistic demands, appears to possess a specific, potent therapeutic mechanism capable of accelerating adaptive skill

acquisition. The efficacy of artistic engagement in treating neurological conditions has been widely validated, emphasising that music, rhythm, and movement actively engage the brain's motor and reward systems, generating robust pathways for learning and neurological repair (Koelsch, 2010). The sustained improvement in Motivation (MAS) confirms that the musical context itself successfully overcomes the common barrier of poor task compliance frequently encountered in traditional rehabilitation settings. Furthermore, the author's continued active involvement in clinical practice and the method's ongoing evolution are directly motivated by the sustained, observable functional improvements and increased motivation consistently seen in participants—a powerful, real-world justification for its necessary evolution into a technologically autonomous therapeutic system..

5.2 The Necessity of Technological Autonomy and Standardisation

The strategic move toward a sensor- and future AI-driven model is driven by both clinical efficacy and ethical necessity. The technological autonomy afforded by the D.D.A.T.A. system is absolutely essential for its future standardisation across varied clinical and educational settings. Furthermore, this system directly addresses a critical methodological challenge in special education and rehabilitation: the problem of inter-rater variability and potential subjective assessment bias (Vera, 2022). By relying on sensors for objective kinematic and temporal measurement, the D.D.A.T.A. system ensures transparency, accountability, and reliability in evaluation, replacing reliance on highly subjective, human-dependent psychometric tests with continuous, quantified progress metrics.

5.3 International Recognition and Validity

The D.D.A.T.A. methodology has already garnered significant international recognition, thereby validating its core scientific and clinical relevance:

- A. International Systematic Review (2024): It was included as the sole relevant reference for Greece in the International Systematic Review (2014–2023) published by the International Journal of Learning, Teaching and Educational Research (Fajrie and al, 2024).

- B. Cross-Border Adoption: The practical utility of the methodology was formally confirmed by the official certification and adoption of D.D.A.T.A. protocols by educators at the Alytus Music School in Lithuania under the Erasmus+ program, proving its cultural transferability and clinical applicability outside the Greek context.

5.4 Therapeutic Autonomy and Future Institutionalisation

The definitive success and international recognition of D.D.A.T.A. necessitate its crucial transition from an applied clinical model to a core, stable, University-based research program. The complexity and pioneering nature of D.D.A.T.A., which fuses Pedagogy, Neurosciences, Applied Behaviour Analysis (ABA), and advanced Engineering/Artificial Intelligence, mandate its formal integration within a dedicated University Research Institute or Centre. Such institutionalisation is indispensable for:

- A. Scientific Continuity and Scalability: Ensuring the long-term, systematic evolution of the methodology and securing the specialised infrastructure required for complex technological integration (e.g., full-scale AI validation).
- B. Funding Stability: Gaining access to competitive national and international research grants (e.g., Horizon Europe) is essential for long-term data standardisation and the comprehensive technological development of the system.
- C. Interdisciplinary Collaboration: Guaranteeing continuous access to dedicated academic expertise in its core disciplines. This stable academic platform is the critical prerequisite for achieving true functional inclusion and significantly enhancing the long-term quality of life for individuals with Intellectual Disabilities, by enabling the transition from a pilot model to a standardised, evidence-based therapeutic framework.

VI. CONCLUSIONS, LIMITATIONS, AND FUTURE RESEARCH

6.1 Conclusions

The Differentiated Didactic Approach to the Arts (D.D.A.T.A.) provides strong preliminary evidence for its efficacy as a promising pilot

therapeutic model for adults with Intellectual Disabilities. The study's findings are compelling, supporting all stated hypotheses by demonstrating highly significant gains in Adaptive Behaviour and Motivation—results that suggest the potential for increased functional independence. The methodology's success stems from its unique fusion of structured artistic engagement, sound neuroscientific principles, and adaptive technology, indicating its potential as a robust neuro-rehabilitative tool that appears substantially more effective than the passive control condition. The exceptional size of the observed effects ($d > 2.3$) strongly supports the potential clinical relevance of the D.D.A.T.A. model and serves as a robust preliminary data foundation for subsequent large-scale studies.

6.2 Limitations of the Current Study

Despite the strength of the reported results, the study contains inherent limitations. First, the sample size ($N=27$) for the quantitative analysis remains relatively small, suggesting prudence in generalising the findings, notwithstanding the extensive cumulative experience with $N=512$. Second, the pilot quasi-experimental design relies on non-random assignment, which inherently introduces the possibility of selection bias, although baseline equivalence was confirmed. These limitations underscore the immediate priority for a large-scale Randomised Controlled Trial (RCT). Finally, the AI and advanced sensor applications are currently operating at the pilot and developmental stage; comprehensive, full-scale validation trials are required to integrate these technologies into the core therapeutic protocol.

6.3 Future Directions (Neuro-imaging and Technology)

Future research must concentrate on achieving full scientific validation through:

- A. Longitudinal Studies: To critically assess the long-term maintenance and transferability of the functional gains in real-world settings (e.g., employment, independent living).
- B. Neuro-Imaging Validation: The ultimate scientific validation of the D.D.A.T.A. method lies in demonstrating its hypothesised effect on the brain. Future studies must strategically employ neuroimaging technologies (e.g., EEG or fMRI) to objectively quantify the

music-induced cortical reorganisation and neuroplastic changes observed during the intervention.

- C. Randomised Controlled Trials (RCTs): A large-scale, multisite RCT is required to definitively eliminate selection bias and confirm the exceptionally large effect sizes observed in this foundational pilot study, thereby establishing D.D.A.T.A. as a globally recognised, evidence-based therapeutic standard.

VII. DECLARATIONS

7.1 Ethical Statement

The study was conducted in strict accordance with the ethical guidelines of the Declaration of Helsinki. The voluntary attendance and participation of all individuals were secured, and formal informed consent was obtained from their legal guardians/proxies prior to their inclusion in the study, reflecting the participants' capacity. The protocol was reviewed and deemed ethically acceptable by the appropriate institutional and administrative authorities at the time of commencement, ensuring complete confidentiality and anonymity throughout the research process.

7.2 Conflict of Interest

The author is the creator of the Differentiated Didactic Approach to the Arts (D.D.A.T.A.) methodology. This interest is declared transparently. The research was conducted strictly for academic purposes, and its design, execution, and reporting were performed without bias. The commercial exploitation of the patented methodology is subject to strict academic review and the judgment of the author and founder of the method.

7.3 Funding (Χρηματοδότηση)

This research received no external funding, governmental support, or institutional resources from the author's affiliations. The study was conducted utilising the personal resources and commitment of the author. This self-funded approach, while underscoring the author's deep personal belief in the methodology's real-world impact, simultaneously highlights a critical bottleneck for future scalability and global validation. The subsequent large-scale research phases—including the mandatory large-scale,

multisite Randomised Controlled Trial (RCT), the comprehensive technological scaling and validation of the autonomous AI system, and the essential neuro-imaging studies (EEG/fMRI) required to scientifically validate the hypothesised cortical reorganisation mechanism—demand resources far exceeding those available privately. Given the exceptionally large and clinically significant effect sizes ($d > 2.3$) and the robust objective gains demonstrated by the S.T.E.A.M. sensor technology, the D.D.A.T.A. methodology has demonstrated the high potential return on investment. Therefore, we call upon national and international competitive research bodies (e.g., Horizon Europe, NIH, or specialised foundations) to recognise this validated, high-impact pilot data as the definitive justification for securing the immediate, stable academic and financial framework necessary to achieve evidence-based therapeutic standardisation and global implementation.

7.4 Data Availability Statement (Δήλωση Διαθεσιμότητας Δεδομένων)

The quantitative and qualitative data supporting the findings of this study cannot be deposited in a public repository due to the requirement to protect the anonymity and confidentiality of the vulnerable participant population (adults with Intellectual Disabilities) and their primary caregivers, in accordance with the ethical approval received. Requests for access to non-identifying, aggregated statistical data may be considered by the corresponding author upon reasonable request and subject to adherence to confidentiality protocols

7.5 Author Contributions

I. M. is the sole author of this manuscript. I. M. was fully responsible for the conceptualisation of the D.D.A.T.A. methodology, the design of the quasi-experimental study, data collection, formal analysis, writing—original draft preparation, and writing—review and editing.

7.6 Statement on Generative AI Use

Generative Artificial Intelligence (AI) tools were utilised exclusively for linguistic refinement and translation purposes during the manuscript preparation (specifically, from Greek to English). The application of AI was strictly confined to enhancing the clarity, flow, and grammatical accuracy of the final text. Crucially, the use of these tools did not

involve the generation or alteration of the scientific content, research methodology, data analysis, or the derived conclusions. The sole author remains entirely responsible for the scientific integrity and intellectual content of this research.

VIII. REFERENCES

1. Alex Linley, P., Joseph, S., Harrington, S., & Wood, A. M. (2006). Positive psychology: Past, present, and (possible) future. *The journal of positive psychology*, 1(1), 3–16.
2. Anderson, N. H. (1981). *Foundations of information integration theory*. Academic Press.
3. Anderson, N. H. (1991). *Contributions to information integration theory*. Lawrence Erlbaum Associates.
4. Apter, M. J. (1989). *Reversal theory: Motivation, emotion and personality*. Routledge.
5. Blake, R., & Shiffrar, M. (2007). Perception of human motion. *Annu. Rev. Psychol.*, 58(1), 47–73.
6. Barr, J., & Shaw, P. (2018). Ai application to data analysis, automatic file processing. In 2018 First International Conference on Artificial Intelligence for Industries (AI4I) (pp. 100–105). IEEE.
7. Buntinx, W. H., & Schalock, R. L. (2010). Models of disability, quality of life, and individualised supports: Implications for professional practice in intellectual disability. *Journal of policy and practice in intellectual disabilities*, 7(4), 283–294.
8. Brown, R. (Ed.). (2018). *Knowledge, education, and cultural change: Papers in the sociology of education*. Routledge.
9. Chen, H., & Yu, W. (2008). *Manual of preVABS*. Utah State University.
10. Cooper, J. O., Heron, T. E., & Heward, W. L. (2007). *Applied behaviour analysis* (Vol. 2, pp. 37–46). Upper Saddle River, NJ: Pearson/Merrill-Prentice Hall.
11. Durand, V. M., & Crimmins, D. B. (1988). The motivation assessment scale. *Dictionary of behavioural assessment techniques*, 309–310.
12. Fajrie, N., Purbasari, I., Bamiro, N. B., & Evans, D. G. (2024). Does art education matter in inclusiveness for learners with disabilities? A systematic review. *International Journal of Learning, Teaching and Educational Research*, 23(6), 96–124.
13. Gage, N. L., & Berliner, D. C. (1998). *Educational psychology* (6th ed.). Houghton Mifflin.

14. Gliner, J. A., & Morgan, G. A. (2001). Measurement reliability. *Journal of the American Academy of Child & Adolescent Psychiatry*, 40(4), 486-488.
15. Heineken, E., & Sarris, V. (1986). Durchführung von psychologischen Experimenten. Dt. Inst. für Fernstud.
16. Heward, W. L. (2011). *Exceptional children: An introduction to special education*. Pearson Education.
17. Icabone, D. G. (1999). Vineland adaptive behaviour scales. *Diagnostique*, 24(1-4), 257-273.
18. Koelsch, S. (2010). Towards a neural basis of music-evoked emotions. *Trends in cognitive sciences*, 14(3), 131-137.
19. Krumboltz, J. D. (1983). Private Rules in Career Decision Making. Special Publications Series No. 38.
20. Macri, D. et al. (2019). The Differentiated Didactic Approach to Teaching the Arts (D.D.A.T.A.). The Case of Music Proceedings of the Scientific Conference of Hellenic Institute Pasteur. Text in Greek, Athens: Hellenic Institute Pasteur.
21. Macri, D., & Makris, I. (2014a). Intellectual Disabilities. Evaluation & Pedagogical Management. Case studies. Text in Greek. Athens: Ed. Macri/Makris.
22. Macri, D., & Makris, I. (2014b). Special Education Issues. (1): Behavioural Issues, (2): Students with Behavioural Problems. Text in Greek, Athens: Ed. Macri/Makris.
23. Macri, D., & Makris, I. (2014c). Encouraging Students to Build Teaching Material in the Context of Research. Steps to Design Your Lessons. http://www.diapolis.auth.gr/epimorfotiko_uliko/index.php/2014-09-06-09-18-43/2014-09-06-09-29-21/30-a8-makri
24. Makris, I. (2015a). Innovation and Use of Technology in Special Education. Panellenic Scientific and Educational Association of Secondary Education Revue, *Erkyna*, 6, 175-181. Athens: PAPEDE.
25. Makris, I. (2015b). Creating a Traditional Orchestra for the Needs of Special Education. In International Congress Latvia-Proceedings. Rezekne: Rezekne Tehnologiju Akademija.
26. Makris, I. (2017). Visualisation and Verbalisation in the Use of Special Music Education. In International Congress Latvia-Proceedings. Rezekne: Rezekne Tehnologiju Akademija.
27. Makris, I. (2019). Bonne Pratique: Un concert "Extraordinaire". Un défi "pour changer le regard sur le handicap", *Fishe Pedagogique*, du Programme Cap Sur l'Ecole Inclusive KA2 Strategic Partnership. <http://www.ecoleinclusiveeurope.eu/pdf/pdf-re-sources-bp-fichespeda-module2/unconcert-extraordinaire.pdf>
28. Makris, I. (2020). A Differentiated Didactic Approach to Teaching the Arts (D.D.A.T.A.) for the Purposes of Special Education and Training. In International Congress Lat via-Proceedings. Rezekne: Rezekne Tehnologiju Akademija.
29. Makris I. & al (2022). Differentiated Didactic Approach to Teaching the Arts (D.D.A.T.A.). In C. A. Shoniregun (Ed.), *Learning and Teaching Methodologies (Volume I)*, pp. 169-169. United Kingdom: Infonomics Society.
30. Makris, I., & Macri, D. (2003). Introduction to Music Therapy. Text in Greek. Athens: Grigoris.
31. Malchiodi, C. A. (Ed.). (2012). *Art therapy and health care*. Guilford Press.
32. Mayer, R. E. (2013). Multimedia instruction. In *Handbook of research on educational communications and technology* (pp. 385-399). New York, NY: Springer New York.
33. Rosenbaum, P., Saiga, S., Szatmari, P., & Hoult, L. (1995). Vineland adaptive behaviour scales as a summary of the functional outcome of extremely low-birthweight children. *Developmental Medicine & Child Neurology*, 37(7), 577-586.
34. Sacks, P. (2007). *Tearing down the gates: Confronting the class divide in American education*. Univ of California Press.
35. Seligman, M. E. (2002). Positive psychology, positive prevention, and positive therapy. *Handbook of positive psychology*, 2(2002), 3-12.
36. Seligman, M. E. (2019). Positive psychology: A personal history. *Annual review of clinical psychology*, 15(1), 1-23.
37. Seligman, M. (2018). PERMA and the building blocks of well-being. *The journal of positive psychology*, 13(4), 333-335.
38. Vera, F. (2022). La perspectiva de docentes sobre la infusión de la sostenibilidad en el

currículo de la educación superior. Transformar,
3(2), 17-37.

This page is intentionally left blank